

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 25/01/2024 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Trade name : Eternal Ink: Chalice Gold - Effigy Green

Other means of identification : Chalice | Gold AX18

Effigy | Green AX21

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.2.1. Relevant identified uses

Main use category : Professional use Use of the substance/mixture : Tattoo inks

### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Supplier Authorized Representative

Eternal Ink LLC Biorius SRL

7987 Lochlin Dr avenue Leonard de Vinci 14

MI 48116 Brighton BE 1300 Wavre United States Belgium

T +1 (248) 667-4060 T +32(0)28884010

### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
France	ORFILA		+33 1 45 42 59 59	This number provides contact details for all French Poison Control centers. These poison and toxicovigilance centers provide free medical assistance (excluding call costs), 24 hours a day, 7 days a week.
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	NHS 111/NHS 24/NHS Direct	Edinburgh	111 0845 4647	or call a doctor

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.

Extra phrases : Mixture for use in tattoos or permanent make-up.

Contains nickel. Can cause allergic reactions.

Contains chromium (VI). Can cause allergic reactions.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium benzoate	CAS-No.: 532-32-1 EC-No.: 208-534-8 REACH-no: 01-2119460683- 35	2,425	Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

25/01/2024 (Issue date) EN (English) 2/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage class (LGK, TRGS 510) : LGK 12 - Non-combustible liquids

Joint storage table LGK 1 LGK 2A LGK 2B LGK 3 LGK 4.1A LGK 4.2 LGK 4.1B IGK 4.3 **LGK 5.1A** LGK 5.1B LGK 5.1C LGK 5.2 **LGK 6.1A** LGK 6.1B LGK 6.1C LGK 6.1D LGK 6.2 LGK 7 LGK 8A LGK 8B LGK 11 **LGK 13** LGK 10 LGK 12 LGK 10-13

Joint storage not permitted for : LGK 1, LGK 6.2, LGK 7
Joint storage with restrictions permitted for : LGK 4.1A, LGK 4.3, LGK 5.1C

Joint storage permitted for : LGK 2A, LGK 2B, LGK 3, LGK 4.1B, LGK 4.2, LGK 5.1A, LGK 5.1B, LGK 5.2, LGK 6.1A,

LGK 6.1B, LGK 6.1C, LGK 6.1D, LGK 8A, LGK 8B, LGK 10, LGK 11, LGK 12, LGK 13, LGK

10-13

# 7.3. Specific end use(s)

No additional information available

25/01/2024 (Issue date) EN (English) 3/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment symbol(s):







## 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

# Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

# 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : coloured.
Appearance : Opaque.
Odour : mild.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold : Not available
Melting point : Not applicable
Freezing point : Not available

Boiling point : 100 °C Lowest known value

Flammability Non flammable. Lower explosion limit Not available Upper explosion limit Not available Flash point Not available Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : < 7.44 Viscosity, kinematic : Not available Solubility : Partially soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Not available Vapour pressure Vapour pressure at 50°C : Not available

Density : 1,198 g/m³ (9.998 lbs/gal)

Relative density : Not available

Relative vapour density at 20°C : 1

Particle characteristics : Not applicable

### 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

### 11.1.1. Acute toxicity

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium benzoate (532-32-1)		
LD50 oral rat	3450 mg/kg bodyweight Animal: rat, 95% CL: 3150 - 3740	
LD50 oral	3450 mg/kg bodyweight	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit	
LC50 Inhalation - Rat	> 12,2 mg/l air Animal: rat	

### 11.1.2. Skin corrosion/irritation

Skin corrosion/irritation : Not classified pH: < 7,44

Sodium benzoate (532-32-1)	
рН	≈ 8

### 11.1.3. Serious eye damage/irritation

Serious eye damage/irritation : Not classified pH: < 7,44

Sodium benzoate (532-32-1)	
рН	≈ 8

#### 11.1.4. Respiratory or skin sensitisation

Respiratory or skin sensitisation : Not classified

11.1.5. Germ cell mutagenicity

Germ cell mutagenicity : Not classified

11.1.6. Carcinogenicity

Carcinogenicity : Not classified

11.1.7. Reproductive toxicity

Reproductive toxicity : Not classified

11.1.8. STOT-single exposure

STOT-single exposure : Not classified

11.1.9. STOT-repeated exposure

STOT-repeated exposure : Not classified

Sodium benzoate (532-32-1)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat	
NOAEL (dermal, rat/rabbit, 90 days)	> 2500 mg/kg bodyweight Animal: rabbit, Guideline: EPA OPP 82-2 (Repeated Dose Dermal Toxicity -21/28 Days)	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≤ 0,025 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)	

# 11.1.10. Aspiration hazard

Aspiration hazard : Not classified

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

25/01/2024 (Issue date) EN (English) 6/10

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

: Not classified

(chronic)

Not rapidly degradable

Sodium benzoate (532-32-1)		
LC50 - Fish [1]	> 100 mg/l	
EC50 - Other aquatic organisms [1]	> 100 mg/l waterflea	
EC50 - Other aquatic organisms [2]	30,5 mg/l	
EC50 72h - Algae [1]	> 30,5 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)	
NOEC chronic fish	10 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '144 h'	

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

Sodium benzoate (532-32-1)	
Partition coefficient n-octanol/water (Log Pow)	-2,27

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods

HP Code

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin

irritation or damage to the eye.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID	
14.3. Transport hazard o	14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available					

### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

### **Inland waterway transport**

Not applicable

### Rail transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

## **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

# PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

# **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

# **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG).

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG).

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).

Hazardous Incident Ordinance (12. BImSchV) Is not subject to the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(4) - low hazard for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen

: None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed

SZW-lijst van reprotoxische stoffen -

: None of the components are listed

Vruchtbaarheid

: None of the components are listed

**Switzerland** 

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SZW-lijst van reprotoxische stoffen - Ontwikkeling

# CTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-statements:	
EUH210	Safety data sheet available on request.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.

# The classification complies with

: ATP 12

Custom Styles - Nexus - Eternal Ink - Red and Yellow

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

25/01/2024 (Issue date) EN (English) 10/10